



```

$ echo *
case.shtml escape.shtml first.shtml
functions.shtml hints.shtml index.shtml
ip-primer.txt raid1+0.txt
$ echo *txt
ip-primer.txt raid1+0.txt
$ echo "*"
*
$ echo "*txt"
*txt

```

```

$ echo *
case.shtml escape.shtml first.shtml
functions.shtml hints.shtml index.shtml
ip-primer.txt raid1+0.txt
$ echo *txt
ip-primer.txt raid1+0.txt
$ echo "*"
*
$ echo "*txt"
*txt

```

```

$ echo "A quote is \", backslash is \\, backtick is \`."
A quote is ", backslash is \, backtick is `.
$ echo "A few spaces are    ; dollar is \$. \ $X is ${X}."
A few spaces are    ; dollar is $. $X is 5.

```

A quote is ", backslash is \, backtick is `.  
A few spaces are and dollar is \$. \$X is 5.

```

$ echo "A quote is \", backslash is \\, backtick is \`."
A quote is ", backslash is \, backtick is `.
$ echo "A few spaces are    ; dollar is \$. \ $X is ${X}."
A few spaces are    ; dollar is $. $X is 5.

```

```

$ echo "A quote is \", backslash is \\, backtick is \`."
A quote is ", backslash is \, backtick is `.
$ echo "A few spaces are    ; dollar is \$. \ $X is ${X}."
A few spaces are    ; dollar is $. $X is 5.

```

```

$ echo "A quote is \", backslash is \\, backtick is \`."
A quote is ", backslash is \, backtick is `.
$ echo "A few spaces are    ; dollar is \$. \ $X is ${X}."
A few spaces are    ; dollar is $. $X is 5.

```

```

$ echo "This is \\ a backslash"
This is \ a backslash
$ echo "This is \" a quote and this is \\ a backslash"
This is " a quote and this is \ a backslash

```

```

$ echo "This is \\ a backslash"
This is \ a backslash
$ echo "This is \" a quote and this is \\ a backslash"
This is " a quote and this is \ a backslash

```

Revision #2

Created 2024-01-16 10:07:01 UTC by Enigma

Updated 2024-01-16 10:17:00 UTC by Enigma