


```

Looping ... i is set to hello
Looping ... i is set to 1
Looping ... i is set to (name of first file in current directory)
... etc ...
Looping ... i is set to (name of last file in current directory) Looping ... i is set to 2
Looping ... i is set to goodbye

```

□□□□ , □□□ □□□ □□□ □ □□□ □□□ □□□ □□□□ .

While ??

"while" □□ □ □ □□□ □ □□□ □ (□□□ □ □□□ □□ □□ □ □ □□□ □ □□□ □□□□ ...)

```

#!/bin/sh
INPUT_STRING=hello
while [ "$INPUT_STRING" != "bye" ]
do
    echo "Please type something in (bye to quit)"
    read INPUT_STRING
    echo "You typed: $INPUT_STRING"
done

```

□□ □□□ □ □□□ □□□ □ "bye" □□ □□ □□ □ □ □□ □□ □□□□ □□□□ . □□□□ □□ '□□ - 1□ '(4□)□ □□□□ **INPUT_STRING=hello** □□ □□ □□□□ . □□□ □□ □□ □□ □□ □□ □□ □□ .

□□ (:): □□ □□ □□□□ . □□□ □□□□ □□ □□ □□ □□□□ , □□ □□ □□ □□□□ □□ □ □□□ □□ □□□□ . □□ □□□ □□□□ □□ □□□ □□□ □□ □□□ □□ □□□ □□ □□ □□□□ □□□□ . □□ □□□ □□ □□□ □ □□□ □ □□ □ □□ □ □□ □□□ □□□ □□□ :

```

#!/bin/sh
while :
do
    echo "Please type something in (^C to quit)"
    read INPUT_STRING
    echo "You typed: $INPUT_STRING"
done

```

□ □□ □□□ □□□ **"while read"** □□□□□ . □ □□□□ □□□ □□ case □□ □□□□□ . □ □□ □□ □□ □ □□ □□ □□ □□□ □□□ □□□□ □□□□□ .


```
for runlevel in 0 1 2 3 4 5 6 S
do
  mkdir rc${runlevel}.d
done
```

□ □□ □□□□ □□ □ □□□ :

```
$ cd /
$ ls -ld {,usr,usr/local}/{bin,sbin,lib}
drwxr-xr-x  2 root  root  4096 Oct 26 01:00 /bin
drwxr-xr-x  6 root  root  4096 Jan 16 17:09 /lib
drwxr-xr-x  2 root  root  4096 Oct 27 00:02 /sbin
drwxr-xr-x  2 root  root  40960 Jan 16 19:35 usr/bin
drwxr-xr-x 83 root  root  49152 Jan 16 17:23 usr/lib
drwxr-xr-x  2 root  root  4096 Jan 16 22:22 usr/local/bin
drwxr-xr-x  3 root  root  4096 Jan 16 19:17 usr/local/lib
drwxr-xr-x  2 root  root  4096 Dec 28 00:44 usr/local/sbin
drwxr-xr-x  2 root  root  8192 Dec 27 02:10 usr/sbin
```

Test □ Case □□□ while □□ □ □□ □□□□□ .

Revision #1

Created 2024-01-16 13:04:10 UTC by Enigma

Updated 2024-01-16 13:24:09 UTC by Enigma